

- ❶ Easily removable threshold
- ❷ Height: 2075mm  
(has the ability to be altered)
- ❸ Reinforced panel for door closer
- ❹ Powder-coated to RAL7045  
(can be altered)

- ❶ Available in both multipoint locking and fire exit styles
- ❷ Inactive leaf comes with built-in shoot bolts
- ❸ Expandable door width  
1780mm - 1840mm
- ❹ Anti-jemmy hinge bolts built into each leaf



## Heavy-Duty Double Locking Fire Exit Doors

## The Frame

- 4 x heavy duty lift-off hinges per leaf, these offer great security and make installation a lot easier
- Expandable frame mechanism that achieves sizes between 1780 - 1840 x 2075(w)
- Full weather seal to all sides of the frame
- 3 x fixings points down each side of frame for ease of installation
- Removable/ adjustable threshold
- 2mm thick pre-lacquered cold-rolled steel frame
- Will arrive in a kit format that allows for easy transportation when installing



## Door Leaf

- 2 x 1mm pre-lacquered, cold-rolled steel sheets per leaf
- 15mm anti-jemmy lip to all edges
- Powder coated to RAL 7045 (telegrey 1)
- 50mm thick door leaf
- 2 x steel strengthening structural supports running through the leaf
- Our doors are filled with a fibre glass material
- Inactive leaf has shoot bolts top and bottom



## Fire Exit Style

- Can have either both leafs as an active fire exit or just one
- Can be fitted with external locking/access
- Up to a 5 point latching double crash bar system
- Optional extras - friction stays, powder coating, vision windows

## Locking Style

- Multipoint locking system pre-installed into door
- 2 x anti-jemmy hinge bolts
- Drill and impact proof locking system
- Optional extras - door closers, powder coating, vision windows, louvered panels






- ❗ Easily removable threshold
- ❗ Expandable door frames:  
Two width sizes available -  
880mm - 940mm &  
980mm - 1040mm
- ❗ Height: 2075mm  
(has the ability to be altered)
- ❗ Reinforced panel for door closer
- ❗ Powder-coated to RAL7045  
(can be altered)

- ❗ Has the ability for external locking
- ❗ Can be fitted with a 1, 2 or 3 point latching crash bar
- ❗ Reinforced panel for friction stay

## **Heavy-Duty Steel Fire Exit Door**

## The Frame

- 4 x heavy duty lift-off hinges that offer security and also easy installation
- Expandable frame mechanism that achieves sizes between - 880-940(w) x 2075(h) & 980-1040(w) x 2075(h)
- Full weather seal to all sides of the frame
- 3 x fixings points down each side of frame for ease of installation
- Removable/adjustable threshold
- 2mm thick pre-lacquered cold-rolled steel frame



Due to continued development specifications may change

## Door Leaf

- 2 x 1mm pre-lacquered, cold-rolled steel sheets
- 15mm anti-jemmy lip to all edges
- Powder coated to RAL 7045 (telegrey 1)
- 50mm thick door leaf
- 2 x steel strengthening structural supports running through the leaf
- Our doors are filled with a fibre glass material



## Optional Extras

- Vision windows
- Powder coating
- Friction stays

## Fire Exit Furniture

- All panic hardware CE rated
- Can be fitted with a 1,2 or 3 point latching/locking crash bar
- An external locking can be easily fitted to allow external access







- Available in standard and heavy-duty weights
- Multipoint locking system
- Easily removable threshold
- Expandable door frames:  
Two width sizes available -  
880mm - 940mm  
& 980mm - 1040mm
- Height: 2075mm  
(has the ability to be altered)
- Reinforced panel for door closer
- 2 x Anti-jimmy hinge bolts
- Powder-coated to RAL7045  
(can be altered)


## **Standard Single Locking Security Door**

## The Frame

- 4 x heavy duty lift-off hinges that offer security and also easy installation
- Expandable frame mechanism that achieves sizes between - 880-940(w) x 2075(h) & 980-1040(w) x 2075(h)
- Full weather seal to all sides of the frame
- 3 x fixings points down each side of frame for ease of installation
- Easily removable threshold
- 2mm thick pre-lacquered cold-rolled steel frame

## Optional Extras

- Door closers
- Vision windows
- Louvered panels
- Powder coating
- Friction stays
- Digital locking mechanism




Due to continued development specifications may change

## Door Leaf

- 2 x 1mm pre-lacquered, cold-rolled steel sheets
- 15mm anti-jemmy lip to all edges
- Powder coated to RAL 7045 (telegrey 1)
- 50mm thick door leaf
- 2 x steel strengthening structural supports running through the leaf
- Our doors are filled with a fibre glass material

## Locking System

- 9 - 12 point locking system pre-installed into door
- 2 x anti-jemmy hinge bolts
- Drill and impact proof locking system
- Operated by euro-profiled cylinder







- Easily removable threshold
- Expandable door frames:  
Two width sizes available -  
880mm - 940mm &  
980mm - 1040mm
- Height: 2075mm  
(has the ability to be altered)
- Reinforced panel for door closer
- Powder-coated to RAL9010  
(can be altered)
- Six panelled decorative design


## **Heavy-Duty Six Panel White Door**

## The Frame

- 4 x heavy duty lift-off hinges that offer security and also easy installation
- Expandable frame mechanism that achieves sizes between - 880-940(w) x 2075(h) & 980-1040(w) x 2075(h)
- Full weather seal to all sides of the frame
- 3 x fixings points down each side of frame for ease of installation
- Removable/adjustable threshold
- 2mm thick pre-lacquered cold-rolled steel frame

## Optional Extras

- Door closers
- Letter box
- Spy hole
- Powder coating
- Friction stays
- Digital locking mechanism



Due to continued development specifications may change

## Door Leaf

- 1 x 1mm pre-lacquered, cold-rolled steel sheets
- 15mm anti-jemmy lip to all edges
- Powder coated to RAL 9010 (white)
- 50mm thick door leaf
- 2 x steel strengthening structural supports running through the leaf
- Our doors are filled with a fibre glass material
- 6 panelled white decorative design

## Locking System

- 9 - 12 point locking system pre-installed into door
- 2 x anti-jemmy hinge bolts
- Drill and impact proof locking system
- Operated by euro-profiled cylinder

